

Belden Security Solutions

**Security Solutions for
Perimeter Monitoring,
Life Safety and
Access Control**

One Enterprise.
One Infrastructure.
One Partner.

Featured Brands

BELDEN

 **GarrettCom®**
A BELDEN BRAND



Belden is a trusted advisor for network infrastructures, audio/visual and building automation systems deployment, with a standards-compliant product portfolio that spans the entire security application range. Belden is a leader in the physical security space and knows how to integrate the security system into your overall infrastructure strategy for maximum effectiveness and value.



One Enterprise.
One Infrastructure.
One Partner.



Converging Security with IP Networking

Having up-to-date security and surveillance strategies and processes in place for keeping people, property, and information safe and secure is a must-have for all businesses. One of the keys to protecting these valuable assets is leveraging the many benefits of a converged infrastructure. With a converged infrastructure, businesses can maximize their IP investment, improve manageability and usability, and ease deployment and serviceability — all while providing a single-pane-of-glass view into a facility's operation, whether it's for one building, a campus, or multiple locations around the globe.

The Belden Difference

Belden can offer you a complete solution that spans our portfolio of networking and cabling solutions offerings to integrate your perimeter monitoring, life safety and access control applications onto a common infrastructure. Together with its vast partner network, Belden can integrate your motion detectors, cameras, video monitors, card-access readers, electronic door controls and alarm systems to aggregate information on digital recording systems. Belden can help you achieve a sophisticated security infrastructure that will serve you today and tomorrow by meeting these challenges:

- **Scalability:** Your security infrastructure can grow with you, allowing upgrades to new technologies while still utilizing the current infrastructure. A single security network can span multiple buildings, an entire campus or even global operations.
- **Integration:** Go beyond discrete and separated security islands by integrating your disparate or proprietary security systems onto a common IP-based digital infrastructure. Integrate with your Enterprise network to enhance communications and provide the data for evaluating security.



- **Bandwidth:** Achieve sufficient bandwidth to avoid transmission bottlenecks that degrade effectiveness. Capture, view, and record high-definition video.
- **Distance:** Belden's portfolio includes multiple media types enabling IP networks to cover longer distances for perimeter and campus security.
- **Interoperability:** Belden IP networks provide an infrastructure that supports the widest range of security equipment, allowing you to specify video, access, alarms, and other systems from a wide range of vendors.
- **Environment:** Belden trusted brands allow a common network to be deployed across all environments, including the most demanding areas such as the factory floor, parking lot or perimeter fencing.


**From Legacy Analog to the Latest IP-Based Systems,
Belden Has the Answer to your Security Application Needs**



One Enterprise.
One Infrastructure.
One Partner.



Belden Security Offering



APPLICATIONS

PRODUCTS	Intrusion Detection and Notification	Analog & Digital Video Surveillance / Monitoring	Access Control & Event Notification - Building/Room	Access Control & Event Notification - Rack	Fire Detection & Alarm	Mass Notification	Data and Voice Communications
Copper Cabling Systems	•	•	•	•	•	•	•
Fiber Cables & Connectivity	•	•					•
Hardened Switches	•	•				•	
Media Converters		•					
Racks and Enclosures		•		•			•
Coaxial Cables & Connectivity	•	•	•	•	•		
Industrial-Grade Cabling Systems	•	•					•

Belden is Your One Source for the Complete Infrastructure

Providing the best security at the lowest cost goes beyond purchase costs. Belden solutions can provide you higher reliability, simplified infrastructure, easier management, and longer lifecycles, all aimed at lowering your total cost of ownership.

Using Belden for your security infrastructure can not only reduce installation costs and speed system commissioning, it can also eliminate the headaches that often come with using multiple vendors. Belden's trained and certified installers can design, install and troubleshoot your system. And since the security infrastructure typically has a longer life than the security devices, you have the peace of mind of knowing it has the flexibility, reliability and high bandwidth to meet the needs of next-generation applications.

Belden Security Solutions save valuable time and resources by expertly addressing all infrastructure needs and provide an overall network instead of disparate products. This will lower operating costs by reducing time to troubleshoot, easing maintenance requirements, and increasing uptime. Belden has the experience to guide you on convergence, scalability, and consolidation so you get a more flexible system at lower costs.

Solutions for Analog and Digital

Whatever your cabling solution needs—from traditional multi-conductor and communication cables and connectors for analog applications to copper and fiber offerings for digital networks—Belden has products engineered for easier use and higher performance.

Belden products can also support all your security video applications, from those using the H.264/MPEG-4 AV codec standard for video compression to streaming video.

Beyond Cable to End-to-End Solutions

Nobody offers a broader range of infrastructure products than Belden. Our line includes cable, connectivity, racks, enclosures and management hardware to support any security application from legacy analog equipment to the latest IP-based systems.

Our GarrettCom industrial networking products combine the ruggedness you need for use in outdoor applications or in other demanding environments. All with advanced networking performance and easy integration into your enterprise network.



Rely on the Expertise of Belden

Belden is a trusted advisor for network infrastructures, audio/visual and building automation systems deployment, with a product portfolio that spans the entire range of applications. Belden knows security, and knows how to integrate the security system into your overall infrastructure strategy for maximum effectiveness and value. Belden offers the highest quality solutions backed by an industry-leading warranty.

From planning to post-installation support, working with Belden for your security infrastructure systems means fewer hassles, and reliable solutions which are delivered efficiently through our network of authorized distributors and certified installers, who understand security requirements and know Belden products. With our global presence, Belden can support you whether you have a single location or facilities worldwide;

you can standardize your solutions, knowing they can be applied everywhere you operate.

Connectivity for Ethernet/IP Networks

Belden has the widest range of copper and fiber-optic cable for Ethernet/IP networking. Whether you need Enterprise-grade cable for indoor use or rugged cable for outdoor and harsh environments, we have the solution you need. As a leader in Enterprise network connectivity, we offer a full line of high-performance cables, connectors, and management products.

Contact Belden Today to Learn More!

For more information on Belden Security Solutions, please call **1.800.BELDEN.1** (1.800.235.3361) or visit www.belden.com

One Enterprise.
One Infrastructure.
One Partner.



Offering a Complete Line of High-Performance Security Solutions

Featured on the following pages is technical information on Belden's line of high-performance security solutions. Included in the line are fiber, category, coaxial, multi-conductor and multi-pair cables, connectors, racks and enclosures, hubs, switches and more. For more information on these products, visit www.belden.com.

Table of Contents		Page
Introduction	3-7	Network Traffic Solutions 17
		Switches 17
		Routers 17
Copper Cabling Systems	8-12	Rack and Enclosure Systems 18-19
CAT5E (TIA/EIA Category 5e LAN)		2 and 4 Post Racks 18
CAT5E KeyConnect Modular Jacks	8	Vertical Cable Managers 18
CAT5E Patch Panels	8	Free Standing Enclosures 19
CAT5E Patch Cords	8	Wall Mount Enclosures 19
CAT5E Horizontal Cables	8	New Generation Applications for Security, Surveillance and Access Control 20-22
KeyConnect Faceplates	9	Security, Alarm, Sound Cables 20
CAT5E Shielded Cabling System	9	Security, Alarm, Sound Cables—Waterdog Indoor/Outdoor Cables 20
Tools and Accessories	9	CCTV Coax 20
		Access Control Cables 21
CAT6+ (TIA/EIA Category 6 LAN)		Mass Notification Cables 21
CAT6+ KeyConnect Modular Jacks	10	Speaker Cables 21
CAT6+ Patch Panels	10	Fire Alarm Cables 21
CAT6+ Patch Cords	10	Circuit Integrity Cables 22
CAT6+ Horizontal Cables	10	Composite AV 22
3600 Pre-Terminated System	10	Industrial-Grade Cabling Systems 23-25
KeyConnect Faceplates	10	Cables
CAT6+ Shielded Cabling System	11	Category 5e, 24 AWG Cables 23
Tools and Accessories	11	Category 6, 23 AWG Cables 24
		Tray Optic Industrial, Heavy-Duty, All Dielectric Cable 24
10GX (TIA/EIA Category 6A LAN)		Connectivity
10GX KeyConnect Modular Jacks	12	Category 5e Jacks 25
10GX Patch Panels	12	Category 5e Plug Kits 25
10GX Patch Cords	12	Category 6 Jacks 25
10GX Horizontal Cables	12	Category 6 Plugs 25
10GX Pre-Terminated System	12	Stainless Steel Faceplates 25
KeyConnect Faceplates	12	Surface Mount Boxes 25
		Tools 25
Fiber-Optic Cabling Systems	13-16	Part Number Index 26-27
FiberExpress Brilliance Field-Installable Multimode Connectors	13	Customer Service and Other Belden Contacts Back Cover
FiberExpress Brilliance Field-Installable Single-mode Connectors	13	
FiberExpress Field Breakout Kit	13	
FiberExpress Accessories	13	
FiberExpress Ultra Patch Panel Housings	13	
FiberExpress Ultra Pre-Terminated Cassettes	14	
FiberExpress Ultra Frames	14	
FiberExpress MPO Trunk Cables	14	
FiberExpress Patch Cords	15	
FiberExpress Color-Coded Pigtail Kits	16	
FiberExpress Cables	16	
Brilliance Maxi-Bend Tactical Cable	16	

Copper Cabling Solutions

- UTP cables provide both signal transmission and PoE capabilities in a single cable, eliminating the need for an external power source
- Patented Bonded-Pair construction – a unique advantage ensuring consistently high Installable Performance® both before and after installation
- Lower attenuation ensures stronger signal power
- Available in Spool-in-Box packaging for ease of installation, handling, and inventory management
- Full range of Connectors, Cords, Panels, Racks & Enclosures and Cable Management

CAT5E (TIA/EIA Category 5e LAN)

CAT5E KeyConnect Modular Jacks

Color	Belden Part Number
White	AX101309
Black	AX101310
Red	AX104183
Blue	AX104186
Purple	AX104187

A broad range of dark and pastel colors are also available

CAT5E KeyConnect Patch Panels

Description	Belden Part Number
HD-110, 24-Port, 1U*	AX103258
HD-110, 48-Port, 2U*	AX103259
AngleFlex, 24-Port, 1U**	AX103248
AngleFlex, 48-Port, 2U**	AX103249
KeyConnect, 24-Port, 1U**	AX103114
KeyConnect, 48-Port, 1U**	AX103121
KeyConnect, 48-Port, 2U**	AX103115

*Preloaded; **Modular patch panels

CAT5E Patch Cords (Bonded-Pairs CMR)

Description	Belden Part Number			
	Black	Blue	Gray	White
2 ft. (0.6 m)	C501100002	C501106002	C501108002	C501109002
4 ft. (1.2 m)	C501100004	C501106004	C501108004	C501109004
7 ft. (2.1 m)	C501100007	C501106007	C501108007	C501109007
10 ft. (3.0 m)	C501100010	C501106010	C501108010	C501109010
15 ft. (4.6 m)	C501100015	C501106015	C501108015	C501109015

Other lengths and colors available

CAT5E Horizontal Cables

Description	Bonded			Non-Bonded			
	Blue	White	Black	Blue	White	Gray	Black
Indoor Category 5e 350MHz (CMR)	1700A 006U1000	1700A 009U1000	1700A 010U1000	1212 006U1000	1212 009U1000	1212 008U1000	1212 010U1000
Indoor Category 5e 350MHz (CMP)	1701A D15U1000	1701A 009U1000	1701A 010U1000	1213 D15U1000	1213 009U1000	1213 008U1000	1213 010U1000
Indoor Category 5e (CMR)	—	—	—	1583A 006U1000	1583A 009U1000	1583A 008U1000	1583A 010U1000
Indoor Category 5e (CMP)	—	—	—	1585A D15U1000	1585A 009U1000	1585A 008U1000	1585A 010U1000
Indoor/Outdoor Category 5e (CMR/CMX)	7918A 0061000	—	7918A 0101000	—	1594A 009U1000	1594A 008U1000	7923A 0101000
Indoor/Outdoor Category 5e (Waterblocked)	—	—	—	—	—	—	7934A 0101000
Indoor/Outdoor Category 5e Shielded (CMR/CMX)	7919A 0061000	—	—	—	—	—	7919A 0101000
Indoor/Outdoor Category 5e Shielded (Waterblocked)	—	—	—	—	—	—	7937A 0101000
Indoor/Outdoor Tactical Category 5e (Heavy Duty Jacket)	—	—	1304A B591000	—	—	—	—
Indoor/Outdoor Tactical Category 5e (Upjacketed)	—	—	1305A B591000	—	—	—	—

Other colors and put-ups available


One Enterprise.
One Infrastructure.
One Partner.



Copper Cabling Solutions (continued)


CAT5E (TIA/EIA Category 5e LAN) (continued)

KeyConnect Faceplates


	Description	Belden Part Number		
		Elec. White*	Stainless Steel*	Stainless Steel**
	1-Port, Single Gang	AX102660	—	AX102006
	2-Port, Single Gang	AX102655	AX104231	AX102007
	4-Port, Single Gang	AX102249	AX104232	AX102009
	6-Port, Single Gang	AX102251	AX104233	AX102010
	4-Port, Double Gang	—	AX104479	AX102011
	6-Port, Double Gang	AX102671	AX104480	AX102012
	12-Port, Double Gang	AX102257	AX104234	AX102013
	Wall Mount Phone Plates (No ID Window)	AX102902	—	AX104126
	Single-gang Back Box, 1.89 in.	AX102657	—	—
	Double-gang Back Box, 1.89 in.	AX104131	—	—

Other configurations (i.e. numbers of ports) available; * With ID window; ** Without ID window

CAT5E Shielded Cabling System

	Description	Belden Part Number				
		Metallic	Blue	Gray	White	Black
	DataTwist 1200, F/UTP, Non Plenum	—	1212F 0061000	1212F 0081000	1212F 0091000	1212F 0101000
	DataTwist 1200, F/UTP, Plenum	—	1213F D151000	1213F 0081000	1213F 0091000	1213F 0101000
	Shielded Modular Jack, Metallic	AX104595	—	—	—	—
	Shielded Modular Patch Panel, 24-Port, 1U, Titanium (empty)	AX104563	—	—	—	—
	Shielded Modular Patch Panel, 48-Port, 2U, Titanium (empty)	AX104564	—	—	—	—
	2 ft (.6m), Shielded Patch Cord, 4-Pair, T568A/B-T568A/B, Non Plenum	—	C5F1106002	C5F1108002	C5F1109002	C5F1100002
	4 ft (1.2m), Shielded Patch Cord, 4-Pair, T568A/B-T568A/B, Non Plenum	—	C5F1106004	C5F1108004	C5F1109004	C5F1100004
	7 ft (2.1m), Shielded Patch Cord, 4-Pair, T568A/B-T568A/B, Non Plenum	—	C5F1106007	C5F1108007	C5F1109007	C5F1100007
	15 ft (4.6m), Shielded Patch Cord, 4-Pair, T568A/B-T568A/B, Non Plenum	—	C5F1106015	C5F1108015	C5F1109015	C5F1100015
	25 ft (7.6m), Shielded Patch Cord, 4-Pair, T568A/B-T568A/B, Non Plenum	—	C5F1106025	C5F1108025	C5F1109025	C5F1100025
	15 ft (4.6m), Shielded Pigtailed, 4-Pair, T568B-Open, Non Plenum	—	C5F1306015	C5F1308015	—	—
	25 ft (7.6m), Shielded Pigtailed, 4-Pair, T568B-Open, Non Plenum	—	C5F1306025	C5F1308025	—	—

Tools and Accessories

	Description	Belden Part Number
	Connecting Tool	AX100749
	Termination Station	AX101852
	Release Tool	AX101185
	Cable Preparation Tool	1797B
	Patch Cord Tool	AX102775
	Velcro Cable Ties, 25 Per Roll, Black, 8 in	AX100783
	Velcro Cable Ties, 25 Per Roll, Black, 12 in	AX100784
	Wrap-Around Labels, Gray, 48 Labels/Sheet (25 sheets per pack)	AX101555
	RJ45 Category 5e Non-Shielded Modular Plug w/50 Micron Gold Contact, Clear. Tool required CPRJ11-45.	HIPMP-RJ45
	RJ45 Category 5e Shielded Modular Plug w/50 Micron Gold Contacts, Nickel. Tool required CPRJ11-45.	HIPMP-RJ45SH
	Crimp and Strip Tool for RJ11 and RJ45	CPRJ11-45
	Cable Strip Tool for Networking Cable	R301602 000S1
	Strip and Crimp Tool for Modular Boots, Strain Relief, Crimpable Snagless Over Boot	SLS-RJ45CR

Copper Cabling Solutions (continued)

CAT6+ (TIA/EIA Category 6 LAN)

CAT6+ KeyConnect Modular Jacks

Color	Belden Part Number
White	AX101320
Black	AX101321
Red	AX104190
Blue	AX104193
Purple	AX104194

A broad range of dark and pastel colors are also available

CAT6+ KeyConnect Patch Panels

Description	Belden Part Number
KeyConnect, 24-Port, 1U*	AX103253
KeyConnect, 48-Port, 2U*	AX103255
AngleFlex, 24-Port, 1U**	AX103248
AngleFlex, 48-Port, 2U**	AX103249
KeyConnect, 24-Port, 1U**	AX103114
KeyConnect, 48-Port, 1U**	AX103121
KeyConnect, 48-Port, 2U**	AX103115

* Preloaded; ** Modular patch panels

CAT6+ Patch Cords (Bonded-Pairs CMR)

Description	Belden Part Number			
	Black	Blue	Gray	White
2 ft. (0.6 m)	C60110002	C601106002	C601108002	C601109002
4 ft. (1.2 m)	C60110004	C601106004	C601108004	C601109004
7 ft. (2.1 m)	C60110007	C601106007	C601108007	C601109007
10 ft. (3.0 m)	C60110010	C601106010	C601108010	C601109010
15 ft. (4.6 m)	C60110015	C601106015	C601108015	C601109015

Other lengths and colors available

CAT6+ DataTwist Horizontal Cables

Description	Bonded			Non-Bonded			
	Blue	White	Black	Blue	White	Gray	Black
3600 Category 6e - CMR	3632 006A1000	3632 009A1000	3632 010A1000	3612 006A1000	3612 009A1000	3612 008A1000	3612 010A1000
3600 Category 6e - CMP	3633 D15A1000	3633 009A1000	3633 010A1000	3613 D15A1000	3613 009A1000	3613 008A1000	3613 010A1000
2400 Category 6 - CMR	1872A 006A1000	1872A 009A1000	1872A 010A1000	2412 006A1000	2412 009A1000	2412 008A1000	2412 010A1000
2400 Category 6 - CMP	1874A D15A1000	1874A 009A1000	1874A 010A1000	2413 D15A1000	2413 009A1000	2413 008A1000	2413 010A1000

Other colors and put-ups available

3600 Pre-Terminated System

Cable Assembly*	KeyConnect Coupler Patch Panel (Preloaded)	Modular Coupler
CMR, Black C601106xxxA06	24-port, 1U, Titanium AX104227	Black AX104215
CMP, Black C602106xxxA06	48-port, 2U, Titanium AX104228	


* Use xxx to specify length in feet—006-050 ft in increments of 1 ft—055-265 ft in increments of 5 ft. Modular Panels also available.

KeyConnect Faceplates

Description	Belden Part Number		
	Elec. White*	Stainless Steel*	Stainless Steel**
1-Port, Single Gang	AX102660	—	AX102006
2-Port, Single Gang	AX102655	AX104231	AX102007
4-Port, Single Gang	AX102249	AX104232	AX102009
6-Port, Single Gang	AX102251	AX104233	AX102010
4-Port, Double Gang	—	AX104479	AX102011
6-Port, Double Gang	AX102671	AX104480	AX102012
12-Port, Double Gang	AX102257	AX104234	AX102013
Wall Mount Phone Plates (No ID Window)	AX102902	—	AX104126
Single-gang Back Box, 1.89 in.	AX102657	—	—
Double-gang Back Box, 1.89 in.	AX104131	—	—

Other configurations (i.e. numbers of ports) available; * With ID window; ** Without ID window

One Enterprise.
One Infrastructure.
One Partner.



Copper Cabling Solutions (continued)

CAT6+ (TIA/EIA Category 6 LAN) (continued)

CAT6+ Shielded Cabling System

	Description	Belden Part Number				
		Metallic	Blue	Gray	White	Black
	DataTwist 2400, F/UTP, CMR	—	2412F 0061000	2412F 0081000	2412F 0091000	2412F 0101000
	DataTwist 2400, F/UTP, CMP	—	2413F D151000	2413F 0081000	2413F 0091000	2413F 0101000
	Shielded Modular Jack, Metallic	AX104596	—	—	—	—
	Shielded Modular Patch Panel, 24-Port, 1U, Titanium (empty)	AX104563	—	—	—	—
	Shielded Modular Patch Panel, 48-Port, 2U, Titanium (empty)	AX104564	—	—	—	—
	2 ft (.6m), Shielded Patch Cord, 4-Pair, T568A/B-T568A/B, CMR	—	C6F1106002	C6F1108002	C6F1109002	C6F1100002
	4 ft (1.2m), Shielded Patch Cord, 4-Pair, T568A/B-T568A/B, CMR	—	C6F1106004	C6F1108004	C6F1109004	C6F1100004
	7 ft (2.1m), Shielded Patch Cord, 4-Pair, T568A/B-T568A/B, CMR	—	C6F1106007	C6F1108007	C6F1109007	C6F1100007
	15 ft (4.6m), Shielded Patch Cord, 4-Pair, T568A/B-T568A/B, CMR	—	C6F1106015	C6F1108015	C6F1109015	C6F1100015
	25 ft (7.6m), Shielded Patch Cord, 4-Pair, T568A/B-T568A/B, CMR	—	C6F1106025	C6F1108025	C6F1109025	C6F1100025
	15 ft (4.6m), Shielded Pigtails, 4-Pair, T568B-Open, CMR	—	C6F1306015	C6F1308015	—	—
	25 ft (7.6m), Shielded Pigtails, 4-Pair, T568B-Open, CMR	—	C6F1306025	C6F1308025	—	—


Tools and Accessories

	Description	Belden Part Number
	Connecting Tool	AX100749
	Termination Station	AX101852
	Release Tool	AX101185
	Cable Preparation Tool	1797B
	Patch Cord Tool	AX102775
	Velcro Cable Ties, 25 Per Roll, Black, 8 in	AX100783
	Velcro Cable Ties, 25 Per Roll, Black, 12 in	AX100784
	Wrap-Around Labels, Gray, 48 Labels/Sheet (25 sheets per pack)	AX101555
	Crimp and Strip Tool for RJ11 and RJ45	CPRJ11-45
	Cable Strip Tool for Networking Cable	R301602 000S1
	Strip and Crimp Tool for Modular Boots, Strain Relief, Crimpable Snagless Over Boot	SLS-RJ45CR

Copper Cabling Solutions (continued)


10GX (TIA/EIA Category 6A LAN)

10GX KeyConnect Modular Jacks

	Color	Belden Part Number
	White	AX102282
	Black	AX102283
	Red	AX104153
	Blue	AX104156
	Purple	AX104157


A broad range of dark and pastel colors are also available

10GX KeyConnect Patch Panels

	Description	Belden Part Number
	KeyConnect, 24-Port, 1U*	AX103254
	KeyConnect, 48-Port, 2U*	AX103256
	AngleFlex, 24-Port, 1U**	AX103248
	AngleFlex, 48-Port, 2U**	AX103249
	KeyConnect, 24-Port, 1U**	AX103114
	KeyConnect, 48-Port, 1U**	AX103121
	KeyConnect, 48-Port, 2U**	AX103115


* Preloaded (Titanium); ** Modular patch panels

10GX Patch Cords (Bonded-Pairs CMR)

	Description	Belden Part Number			
		Black	Blue	Gray	White
	2 ft. (0.6 m)	CA21100002	CA21106002	CA21108002	CA21109002
	4 ft. (1.2 m)	CA21100004	CA21106004	CA21108004	CA21109004
	7 ft. (2.1 m)	CA21100007	CA21106007	CA21108007	CA21109007
	10 ft. (3.0 m)	CA21100010	CA21106010	CA21108010	CA21109010
	15 ft. (4.6 m)	CA21100015	CA21106015	CA21108015	CA21109015


Other lengths and colors available

10GX Horizontal Cables

	Description	Belden Part Number				
		Bonded		Non-Bonded		
		Blue	White	Blue	White	Gray
	10GX Category 6A - CMR	10GX32 0061000	10GX32 0091000	10GX12 0061000	10GX12 0091000	10GX12 0081000
	10GX Category 6A - CMP	10GX33 D151000	10GX33 0091000	10GX13 D151000	10GX13 0091000	10GX13 0081000


Other colors available

10GX Pre-Terminated System

	Cable Assembly*	KeyConnect Coupler Patch Panel (Preloaded)	Modular Coupler
	CMR, Black	CA21100xxxA06	24-port, 1U, Titanium
	CMP, Black	CA22100xxxA06	48-port, 2U, Titanium
			AX104141
			AX104142
			Black
			AX104024

* Use xxx to specify length in feet—006-050 ft in increments of 1 ft—055-265 ft in increments of 5 ft

KeyConnect Faceplates

	Description	Belden Part Number		
		Elec. White*	Stainless Steel*	Stainless Steel**
	1-Port, Single Gang	AX102660	—	AX102006
	2-Port, Single Gang	AX102655	AX104231	AX102007
	4-Port, Single Gang	AX102249	AX104232	AX102009
	6-Port, Single Gang	AX102251	AX104233	AX102010
	4-Port, Double Gang	—	AX104479	AX102011
	6-Port, Double Gang	AX102671	AX104480	AX102012
	12-Port, Double Gang	AX102257	AX104234	AX102013
	Wall Mount Phone Plates (No ID Window)	AX102902	—	AX104126
	Single-gang Back Box, 1.89 in.	AX102657	—	—
	Double-gang Back Box, 1.89 in.	AX104131	—	—

Other configurations (i.e. numbers of ports) available; * With ID window; ** Without ID window



Fiber-Optic Cabling Systems

- Plenum, riser, and LSZH ratings
- Single-mode OS2 and multimode OM1, OM2, OM3, and OM4 fibers
- Simplex and duplex constructions for equipment connections
- Tight buffer constructions for indoor and indoor outdoor applications, in-building backbone or horizontal deployment, low to high fiber count requirements and armored for industrial environments or rugged installations.
- Loose-tube constructions with up to 24 fibers per tube and multitube cables with up to 216 fibers
- Full range of Connectors, Cords, Panels, Racks & Enclosures and Cable Management

FiberExpress Brilliance Field-Installable Multimode Connectors

Description	Belden Part Number					
	Multimode, OM1, 62.5 μm		Multimode, OM2, 50 μm		Multimode, OM3/OM4, 50 μm	
	1 per package	25 per package	1 per package	25 per package	1 per package	25 per package
LC for 900 μm for 900 μm Tight Buffer	AX104240-S1	AX104240-B25	AX104241-S1	AX104241-B25	AX104242-S1	AX104242-B25
SC for 900 μm for 900 μm Tight Buffer	AX104244-S1	AX104244-B25	AX104245-S1	AX104245-B25	AX104246-S1	AX104246-B25
ST for 900 μm for 900 μm Tight Buffer	AX104248-S1	AX104248-B25	AX104249-S1	AX104249-B25	AX104250-S1	AX104250-B25
LC for jacketed 2.0 mm * for jacketed	AX104254-S1	AX104254-B25	AX104255-S1	AX104255-B25	AX104256-S1	AX104256-B25
SC for jacketed 2.0 mm * for jacketed	AX104258-S1	AX104258-B25	AX104259-S1	AX104259-B25	AX104260-S1	AX104260-B25
ST for jacketed 2.0 mm * for jacketed	AX104262-S1	AX104262-B25	AX104263-S1	AX104263-B25	AX104264-S1	AX104264-B25
3 mm jacketed boot, bag of 25	← AX104577 →					

*The jacketed version includes a 2 mm boot. A separate part number is provided for the 3 mm boot.

FiberExpress Brilliance Field-Installable Single-mode Connectors

Description	Belden Part Number			
	Single-mode, OS2		Single-mode, OS2 - APC	
	1 per package	25 per package	1 per package	25 per package
LC for 900 μm Tight Buffer	AX104243-S1	AX104243-B25	—	—
SC for 900 μm Tight Buffer	AX104247-S1	AX104247-B25	AX104253-S1	AX104253-B25
ST for 900 μm Tight Buffer	AX104251-S1	AX104251-B25	—	—
LC for jacketed 2.0 mm *	AX104257-S1	AX104257-B25	—	—
SC for jacketed 2.0 mm *	AX104261-S1	AX104261-B25	AX104467-S1	AX104467-B25
ST for jacketed 2.0 mm *	AX104265-S1	AX104265-B25	—	—
3 mm jacketed boot, bag of 25	← AX104577 →			

*The jacketed version includes a 2 mm boot. A separate part number is provided for the 3 mm boot.

FiberExpress Field Breakout Kit

Description	Belden Part Number
6 fibers, 1/pack	AX101100
12 fibers, 1/pack	AX101101

FiberExpress Accessories


Description	Belden Part Number
Precision Installation Tool Kit	AX104271

FiberExpress Ultra Patch Panel Housings

Description	Belden Part Number
1U Patch Panel, Empty, Titanium	AX104681
2U Patch Panel, Empty, Titanium	AX104682
4U Patch Panel, Empty, Titanium	AX104683
Splice Housing Kit, 1U, 144 splices, Titanium	AX104684
FiberExpress Ultra HD Release Tool	AX104685


Fiber-Optic Cabling Systems (continued)

FiberExpress Ultra Pre-Terminated Cassettes

	Description	Belden Part Number			
		Multimode, OM1, 62.5 μm	Multimode, OM3, 50 μm	Multimode, OM4 (Low Loss), 50 μm	Single-mode, OS2
	LC Duplex - MPO (m), 24 fibers	AX103657	AX103729	AX103783	AX103837
	LC Duplex - MPO (m), 12 fibers	AX103641	AX103713	AX103767	AX103821
	LC Duplex with shutter - MPO (m), 12 fibers	AX103642	AX103714	—	AX103822
	SC Duplex - MPO (m), 12 fibers	AX103639	AX103711	—	AX103819
	SC Duplex - MPO (m), 6 fibers	AX103620	AX103692	—	AX103800
	SC Duplex with shutter - MPO (m), 6 fibers	AX103621	AX103693	—	AX103801
	ST - MPO (m), 12 fibers	AX103638	AX103710	—	AX103818
	ST - MPO (m), 6 fibers	AX103619	AX103691	—	AX103799


See the Belden FiberExpress Ultra Pre-Terminated Cassettes Product Bulletin (PB285) for our complete offering.

FiberExpress Ultra Frames

	Description	Belden Part Number				
		Multimode, OM1, 62.5 μm	Multimode, OM2, 50 μm	Multimode, OM3, 50 μm	Multimode, OM4 (Low Loss), 50 μm	Single-mode, OS2
	LC Duplex, 24 fibers	AX103424	AX103451	AX103451	AX103465	AX103519
	LC Duplex, 12 fibers	AX103408	AX103449	AX103449	AX103463	AX103502
	LC Duplex with shutter, 12 fibers	AX103409	AX103450	AX103450	AX103464	AX103503
	SC Duplex, 12 fibers	AX103406	—	AX103447	AX103461	AX103496
	SC Duplex, 6 fibers	AX103385	—	AX103441	AX103455	AX103470
	SC Duplex with shutter, 6 fibers	AX103386	—	AX103442	AX103456	AX103471
	ST, 12 fibers	← AX103403 →				AX1034937
	ST, 6 fibers	← AX103382 →				AX103467

See the Belden FiberExpress Ultra Frames Product Bulletin (PB287) for our complete offering.

FiberExpress MPO Trunk Cables – 12 Fibers

	Description	Belden Part Number			
		Multimode, OM1, 62.5 μm	Multimode, OM3, 50 μm	Multimode, OM4 (Low Loss), 50 μm	Single-mode, OS2-APC
	Type "C" MPO 568-C.3 Cross-Over, Mini-distribution cable (round cable)				
	MPO (F) - MPO (F), 12 fibers, 3 m	FA600135	FA600149	FA600163	FA600177
	MPO (F) - MPO (F), 12 fibers, 5 m	FA600136	FA600150	FA600164	FA600178
	MPO (F) - MPO (F), 12 fibers, 10 m	FA600137	FA600151	FA600165	FA600179
	MPO (F) - MPO (F), 12 fibers, 15 m	FA600138	FA600152	FA600166	FA600180
	MPO (F) - MPO (F), 12 fibers, 20 m	FA600139	FA600153	FA600167	FA600181
	MPO (F) - MPO (F), 12 fibers, 25 m	FA600140	FA600154	FA600168	FA600182
	MPO (F) - MPO (F), 12 fibers, 30 m	FA600141	FA600155	FA600169	FA600183
	MPO (F) - MPO (F), 12 fibers, 40 m	FA600142	FA600156	FA600170	FA600184
	MPO (F) - MPO (F), 12 fibers, 50 m	FA600143	FA600157	FA600171	FA600185
	MPO (F) - MPO (F), 12 fibers, 60 m	FA600144	FA600158	FA600172	FA600186
	MPO (F) - MPO (F), 12 fibers, 70 m	FA600145	FA600159	FA600173	FA600187
	MPO (F) - MPO (F), 12 fibers, 80 m	FA600146	FA600160	FA600174	FA600188
	MPO (F) - MPO (F), 12 fibers, 90 m	FA600147	FA600161	FA600175	FA600189
	MPO (F) - MPO (F), 12 fibers, 100 m	FA600148	FA600162	FA600176	FA600190

Part numbers listed for most popular MPO Trunk Cables - 12 fibers. See our Belden Optical Fiber Catalog for our complete offering.

One Enterprise.
One Infrastructure.
One Partner.



Fiber-Optic Cabling Systems (continued)

FiberExpress MPO Trunk Cables— 12 Fibers (continued)

Description	Belden Part Number			
	Multimode, OM1, 62.5 μm	Multimode, OM3, 50 μm	Multimode, OM4 (Low Loss), 50 μm	Single-mode, OS2-APC
Type "A" MPO 568-C.3 Straight, Mini-distribution cable (round cable)				
MPO (F) - MPO (F), 12 fibers, 3 m	FA600191	FA600205	FA600219	FA600233
MPO (F) - MPO (F), 12 fibers, 5 m	FA600192	FA600206	FA600220	FA600234
MPO (F) - MPO (F), 12 fibers, 10 m	FA600193	FA600207	FA600221	FA600235
MPO (F) - MPO (F), 12 fibers, 15 m	FA600194	FA600208	FA600222	FA600236
MPO (F) - MPO (F), 12 fibers, 20 m	FA600195	FA600209	FA600223	FA600237
MPO (F) - MPO (F), 12 fibers, 25 m	FA600196	FA600210	FA600224	FA600238
MPO (F) - MPO (F), 12 fibers, 30 m	FA600197	FA600211	FA600225	FA600239
MPO (F) - MPO (F), 12 fibers, 40 m	FA600198	FA600212	FA600226	FA600240
MPO (F) - MPO (F), 12 fibers, 50 m	FA600199	FA600213	FA600227	FA600241
MPO (F) - MPO (F), 12 fibers, 60 m	FA600200	FA600214	FA600228	FA600242
MPO (F) - MPO (F), 12 fibers, 70 m	FA600201	FA600215	FA600229	FA600243
MPO (F) - MPO (F), 12 fibers, 80 m	FA600202	FA600216	FA600230	FA600244
MPO (F) - MPO (F), 12 fibers, 90 m	FA600203	FA600217	FA600231	FA600245
MPO (F) - MPO (F), 12 fibers, 100 m	FA600204	FA600218	FA600232	FA600246


FiberExpress Patch Cords

Description	Belden Part Number					
	Multimode, OM1, 62.5 μm	Multimode, OM2, 50 μm	Multimode, OM3, 50 μm	Multimode, OM4 (Low Loss), 50 μm	Single-mode, OS2-UPC	Single-mode, OS2-APC
LC Duplex - LC Duplex, OFNR-Riser, 2 m (6 ft), Duplex Zip Cord 2.0 mm	AX200517	AX200527	AX200664	AX104647	AX200507	AX203910
LC Duplex - LC Duplex, OFNR-Riser, 3 m (10 ft), Duplex Zip Cord 2.0 mm	AX200518	AX200528	AX200665	AX104648	AX200508	AX203911
LC Duplex - LC Duplex, OFNR-Riser, 5 m (16 ft), Duplex Zip Cord 2.0 mm	AX200519	AX200529	AX200666	AX104649	AX200509	AX203912
SC Duplex - SC Duplex, OFNR-Riser, 2 m (6 ft), Duplex Zip Cord 3.0 mm	AX200056	AX200084	AX200603	—	AX203908	AX202902
SC Duplex - SC Duplex, OFNR-Riser, 3 m (10 ft), Duplex Zip Cord 3.0 mm	AX200057	AX200082	AX200589	—	AX202523	AX203870
SC Duplex - SC Duplex, OFNR-Riser, 5 m (16 ft), Duplex Zip Cord 3.0 mm	AX200058	AX200280	AX200624	—	AX203909	AX202835
ST - ST 2 m (6 ft), Duplex Zip Cord, OFNR-Riser, 3.0 mm	70102419	AX200341	AX200799	—	AX200200	—
ST - ST 3 m (10 ft), Duplex Zip Cord, OFNR-Riser, 3.0 mm	70102420	AX200459	AX200795	—	AX202089	—
ST - ST 5 m (16 ft), Duplex Zip Cord, OFNR-Riser, 3.0 mm	70102447	AX200413	AX200800	—	AX200234	—


See our Belden Optical Fiber Catalog for our complete offering.

Fiber-Optic Cabling Systems (continued)

FiberExpress Color-Coded Pigtail Kits

	Description		Belden Part Number			
			Multimode, OM1, 62.5 µm	Multimode, OM3, 50 µm	Multimode, OM4 (Low Loss), 50 µm	Single-mode, OS2 - UPC
	LC Color-Coded Pigtail Kit	12 fibers 2 m (6 ft) long	AX104651	AX104555	AX104655	AX104557
	SC Color-Coded Pigtail Kit	12 fibers 2 m (6 ft) long	AX104652	AX104556	—	AX104558
	ST Color-Coded Pigtail Kit	12 fibers 2 m (6 ft) long	AX104653	AX104654	—	AX104656

FiberExpress Cables

	Description			Belden Part Number			
				2 fibers	6 fibers	12 fibers	24 fibers
Indoor	Duplex Zip Cord	Riser	B96915	—	—	—	
		Plenum	B96919	—	—	—	
Indoor	Distribution Tight buffer	Riser	B9X037	B9X039	B9X042	B9X601	
		Plenum	B9X043	B9X045	B9X048	B9X611	
	Breakout 2.0mm units	Riser	B9X005	B9X007	B9X010	B9X012	
		Plenum	B9X013	B9X015	B9X018	B9X020	
Interlocked Armor Dist.	Riser	—	B9X230	B9X231	B9X232		
	Plenum	—	B9X240	B9X241	B9X242		
Outdoor	Loose Tube	Riser	—	B9X510T	B9X511T	B9X500T	
Indoor / Outdoor	Tight buffer	Riser	B9X037T	B9X039T	B9X042T	B9X601T	
		Plenum	B9X043T	B9X045T	B9X048T	B9X611T	
	Loose Tube	Riser	—	B9X810	B9X811	B9X812	
		Plenum	—	B9X202	B9X204	B9X205	


Other Fiber Counts are available; See our Belden Optical Fiber Catalog for our complete offering.

Where X is replaced by:

OM1	OM2	OM3	OM4	Single-mode
B	A	C	E	W

Other connector and adapter types are available
Other patch cord combinations and lengths are available

Brilliance® Maxi-Bend™ Tactical Cable

	Description			Belden Part Number			
				2 fibers	4 fibers	6 fibers	12 fibers
Outdoor	Tactical	OM1	B96571	B96551	B96572	B96575	
Outdoor	Tactical	OS2	B96566	B96639	B96567	B96570	











Network Solutions for Harsh Environments


Belden is a leader in industrial-grade networking equipment for use in harsh (dusty, humid, hot) environments, such as parking garages, building perimeters, blue light phones, and so forth. To meet such needs GarrettCom switches and other devices offer fan-less design and an extended operating temperature range from -40° to +85°C so they are ready for application in demanding environments.

- Managed and unmanaged Ethernet switches supporting Fast Ethernet and Gigabit Ethernet to devices
- Power over Ethernet support
- Media converters
- Choice of copper or fiber ports
- Firewall with tunneling VPN
- Full-featured management with SNMP and RMON
- Supports fault-tolerant STP, RSTP, LLL, and S-Ring protocols
- Fail-safe ring redundancy
- 19" rack, DIN rail, panel, and IP67 waterproof mounting options

Switches

Image	Description	GarrettCom Part Number
	Magnum Premium-rated S14 Convenient Switch, four 10/100 RJ45 ports in a compact package, rated -40°C to 75°C for temperature uncontrolled environments such as outdoors. Internal 24VDC (range 18V to 36V) power supply and metal panel mounting brackets included. For PoE 4 port switch, select PS14.	S14
	Magnum Premium-rated CS14 Converter Switch, one 100Mb multi-mode SC fiber port and two 10/100 RJ45 switch ports with auto-cross and auto-negotiating support. Two sets of LEDs for viewing from any direction. Compact package, rated for temperature uncontrolled environments such as outdoors. Internal 24VDC (range 18V to 36V) power supply with extended temperature range (-40°C to 75°C). Metal panel mounting brackets included.	CS14
	Magnum Premium-rated ES42 Edge Switch with two SC-type 100Mb fiber ports and four 10/100 RJ-45 switch ports with auto-cross and auto-negotiating support. Alarm contact for power monitoring. The two fiber ports support LLL for use in self-healing redundant LANs. Two sets of LEDs for viewing from any direction. Compact package, rated for temperature uncontrolled environments such as outdoors. Internal 12VDC (range 8V to 15V) power supply with extended temperature range (-40°C to +75°C). Includes external AC Magnum Premium-rated power supply into 12VDC jack. Supports dual source (DC and AC via jack) power input. Metal panel mounting brackets included.	ES42
	The IPS42-AC chassis provides an internal AC power supply for an ES42-series PoE switch, all in a hardened package. See the PES42P model for functional capability.	IPS42
	Magnum 6-port PES42 Premium-rated PoE Power-Sourcing Edge Switch with four 10/100 RJ-45 PoE ports and two regular RJ-45 10/100 ports with auto-cross and auto-negotiating support. Alarm contact for power monitoring, 48VDC terminal block for power input. The two regular RJ-45 ports support LLL for use in self-healing redundant LANs. Two sets of LEDs for viewing from any direction. Compact industrial-grade metal package, rated for temperature uncontrolled environments such as outdoors. All 4 PoE ports support Power Source per IEEE 802.3af standard. Metal panel mounting brackets included. DIN-Rail mounting hardware optional.	PES42
 Most Popular!	Magnum 6KL Configurable Managed Edge Switch, base unit with four 10/100 copper ports. 24VDC power supply. Supports PoE and PoE+. May be configured with a variety of 10/100/1000Mb fiber and copper ports in Slots B and C. 10 ports max. Heavy duty metal case, IP52 for environmental protection, no fans. Includes two Alarm Contacts (1 PWR, 1 software controlled), metal bracket for vertical wall or panel mounting, DIN-Rail optional. For licensed network management software information (MNS-6K, MNS-6K-SECURE, S-Ring), see their respective data sheets.	6KL
	Magnum 6KQ Configurable Managed Field Switch, base unit with -48VDC power supply and four 10/100 copper ports are PoE-enabled, data pairs. May be factory-configured with a variety of 10/100/1000 Mb fiber and copper port connector types via selection from a family of 6KQ port modules per the 6KQ Configuration Guide. 16 ports max. Heavy duty fully enclosed aluminum case designed with ribbed surface for max heat dissipation, used as a heat sink, rated IP52 for environmental protection, no fans. Dual LEDs for all-around status viewing. Includes two Alarm Contacts (1 PWR, 1 software controlled), metal bracket for vertical wall or panel mounting, DIN-Rail optional. Wire speed filtering and forwarding across all ports. For licensed network management software information (MNS-6K, S-Ring, Dual-Homing, IGMP-L2, Security, etc.), see their respective data sheets.	6KQ
	Magnum 6K32F Managed Switch offers up to 32 100Mb. Fiber ports, or 32 10/100 copper ports, or 8 Gigabit ports, or combinations. The unit offers four modular slots, for user-selection of 100 Mb, 10 Mb, Gigabit ports and 10/100 copper ports with optional PoE. Wire speed filtering and forwarding across all ports, 802.3x flow control, 802.1p priority packet processing, self-learning 4K-node address table, large 240KB packet buffers for 10/100 and 120KB for 1000Mb. Plug-and-play switching services, front-mounted LEDs and also port-side LEDs for status viewing from either side, internal -48VDC (36-70VDC range) power supply, 19" rack-mounting brackets.	6K32F

Routers

Image	Description	GarrettCom Part Number
	DX940 Configurable Router base unit with four 100Mb SFP Ethernet ports in slot B. Includes 90 - 250V DC / AC power supply, panel mounting. Includes IP routing, Ethernet switching and secure management. MNS-DX software license included. Software includes IP Routing, per VLAN Routing, ICMP, ARP, Diffserv, Port Security, event logging and alarms, and more. Web-based GUI and CLI via Telnet. Choose from a selection of hardened 100Mb SFPs.	DX940


Visit www.garrettcom.com for more information on product colors, sizes and other options. Or contact your local Belden representative. All products interoperable with commercial Ethernet products.

Rack and Enclosure Systems

Belden enclosures and racks are designed to meet the unique requirements of security applications. These enclosures provide the flexibility and versatility needed to house and protect servers and other delicate electronic equipment, and allow the right amount of room needed for proper functioning. Key features include:

- Welded frame construction on enclosures for greater strength and support
- Numerous top and bottom entry points for easy configuration
- Cable access top features a 14.25" x 4" rubber gland which helps prevent dust from entering the enclosure
- Sliding rails can be adjusted after installation to allow for cable management and different depths of equipment, without removing terminated equipment
- EIA rails are numbered in rack space increments
- Perforated tops and cooling devices, perforated and vented doors, plus a variety of top panel options, provide effective passive convection cooling
- Electronic locks on door handles for added enclosure level security
- Power distribution units with locking receptacles


2 and 4 Post Racks



Description (H x W x D)	Model	RU	Width (in)	Depth (in)	Screw	Type	Belden Part Number
84" x 19" x 3" Channel Knock down	BHRR	45	19	-	12-24	Alum	BHRR194
84" x 19" x 6" Channel Knock down	BHRR	45	19	-	12-24	Alum	BHRR6194
84" x 23" x 3" Channel Knock down	BHRR	45	23	-	12-24	Alum	BHRR234
84" x 19" x 3" Channel Knock down	XDR	44	19	-	12-24	Steel	XDR8419-312
84" x 19" x 3" Channel Knock down	XDR	44	19	-	10-32	Steel	XDR8419-310
84" x 19" x 3" Channel Knock down	XDR	44	19	-	10-32	Steel	XDR8419-310N
84" x 19" x 3" Channel Knock down w/Vertical Manager (1)	XDR	44	19	-	10-32	Steel	XDR8419-310N1M
84" x 19" x 3" Channel Knock down w/Vertical Managers (2)	XDR	44	19	-	10-32	Steel	XDR8419-310N2M
84" x 19" x 3" Channel Knock down	XDR	44	19	-	12-24	Steel	XDR8419-312N
84" x 19" x 3" Channel Knock down w/Vertical Manager (1)	XDR	44	19	-	12-24	Steel	XDR8419-312N1M
84" x 19" x 3" Channel Knock down w/Vertical Managers (2)	XDR	44	19	-	12-24	Steel	XDR8419-312N2M
84" x 19" x 3" Channel Welded	XDR	44	19	-	10-32/12-24	Steel	XDR8419-3##W
84" x 23" x 3" Channel Welded	XDR	44	23	-	10-32/12-24	Steel	XDR8423-3##W
84" x 19" x 6" Seismic	XDR	44	19	-	10-32	Steel	XDRS8419-610
84" x 19" x 3" Channel 4 Post Knock down	XDR	44	19	24,28,32,36	10-32/12-24	Steel	XDR8419-3##XX
84" x 23" x 3" Channel 4 Post Knock down	XDR	44	23	24,28,32,36	10-32/12-24	Steel	XDR8423-3##XX

= Screw size variable 10=10-32, 12=12-24 Screws. XX = Depth - Depth 24, 28, 32, 36

Vertical Cable Managers



Description	Model	Width (in)	Depth (in)	Belden Part Number
Single Sided Vertical organizer low density	BHVL	3.6,6,10,12	8.75	BHVL0XX
Single Sided Vertical organizer high density	BHVH	3.6,6,10,12	8.75	BHVH0XX
Double Sided Vertical organizer high/low density	BHVHL	3.6,6,10,12	17.37	BHVHLXX
Double Sided Vertical organizer high/high density	BHVHH	3.6,6,10,12	17.37	BHVHHXX
Vertical manager with cover 4"W x 4"D (for 84" 2 Post rack)	VCM	4	4	VCMFDR4X4

XX = Width Variable 03=3.6", 06=6", 10=10", 12=12"



Rack and Enclosure Systems (continued)

Free Standing Enclosures

	Description (H x W x D)	Model	RU'S	Width (in)	Depth (in)	Belden Part Number
	84" x 29" x 30" Black, 19" Mounting, Vented Top, Perforated front & rear doors with sides	XST	25, 39, 42, 45	29	30	XST84-3-154420
	84" x 29" x 34" Black, 19" Mounting, Vented top, Perforated front & rear doors with sides	XDP	25, 39, 42, 45	29	34	XDP84-3-154420
	47U x 19.19" x 24" Black, 19" Mounting, Frame Only	XSF	10-48	19.19	18,24,30	XSF47-24-100000
	45U x 22" x 24" Black, 19" Mounting, Vented top, vented front & rear doors with flush mount sides	XMF	11-57	22	24,30,36,40	XMF4524122220
	44U x 22" x 26" Black, 19" Mounting, Vented top, Solid rear door with sides	XME	24-44	22	20,26.5	XME442620210
	44U x 22" x 32" Black, 19" Mounting, Solid Top, Perf front & rear doors with solid sides	XMER	24-44	22	26.5, 31.5, 36	XMER443113320
	45U x 24" x 42", Black, Square hole mounting rails, brush panel rear top, perforated front door, perforated rear door, two sets of solid side panels, solid bottom panel with brush opening	X1S	42,45,48	24	42	X1S45-C0110
	45U x 24" x 42" Central Office White, Square hole mounting rails, brush panel rear top, perforated front door, perforated rear door, two sets of solid side panels, solid bottom panel with brush opening	X1S	42,45,48	24	42	X1S45-C0210
	45U x 24" x 48" Black, Square hole mounting rails, brush panel rear top, perforated front door, perforated rear door, two sets of solid side panels, solid bottom panel with brush opening	X2S	42,45,48	24	48	X2S45-C0130
	45U x 24" x 48" Central Office White, Square hole mounting rails, brush panel rear top, perforated front door, perforated rear door, two sets of solid side panels, solid bottom panel with brush opening	X2S	42,45,48	24	48	X2S45-C0230
	45U x 30" x 42" Black, Square hole mounting rails, brush panel rear top, perforated front door, perforated rear door, two sets of solid side panels, solid bottom panel with brush opening	X3S	42,45,48	30	42	X3S45-C0150
	45U x 30" x 42" Central Office White, Square hole mounting rails, brush panel rear top, perforated front door, perforated rear door, two sets of solid side panels, solid bottom panel with brush opening	X3S	42,45,48	30	42	X3S45-C0250
	45U x 30" x 48" Black, Square hole mounting rails, brush panel rear top, perforated front door, perforated rear door, two sets of solid side panels, solid bottom panel with brush opening	X4S	42,45,48	30	48	X4S45-C0170
	45U x 30" x 48" Central Office White, Square hole mounting rails, brush panel rear top, perforated front door, perforated rear door, two sets of solid side panels, solid bottom panel with brush opening	X4S	42,45,48	30	48	X4S45-C0270

Wall Mount Enclosures

	Description (H x W x D)	Model	RU'S	Width (in)	Depth (in)	Belden Part Number
	21" W x 20.125" H x 22.875" D, black, glass door with lock – no removable side panels	XWM	9	21	22.875	XWM-2109-GD
	21" W x 20.125" H x 22.875" D, black, solid door with lock – no removable side panels	XWM	9	21	22.875	XWM-2109-SD
	23" W x 25.250" H x 27.5" D, black, glass door with lock – removable side panels	XWM	12	23	27.5	XWM-2312-GD
	23" W x 25.250" H x 27.5" D, black, solid door with lock – removable side panels	XWM	12	23	27.5	XWM-2312-SD
	23" W x 39.250" H x 27.5" D, black, glass door with lock – removable side panels	XWM	20	23	27.5	XWM-2320-GD
	23" W x 39.250" H x 27.5" D, black, solid door with lock – removable side panels	XWM	20	23	27.5	XWM-2320-SD

Consult Belden Cable Management Catalog to access enclosure configuration matrix and accessories listing. NEMA compliant enclosures also available.

New Generation Applications for Security, Surveillance and Access Control

Nowhere is the demand for uncompromising quality and leading-edge technology more critical than in security, surveillance and access control applications. The New Generation line of low voltage electronic systems includes one of the largest, most economical, and up-to-date selections of reliable multi-conductor and coaxial products on the market today. A full complement of cables and systems for sound, control, alarm, security, CCTV and other security applications is offered.

Belden's innovations include:

- Water-blocked options for multi-conductor cables and for coax – where security, surveillance and fire alarm cables are installed in intermittently wet environments
- Banana Peel Composite Cables, for easier and faster installation than traditional composite cables, offer no overall jacket which eliminates stripping of the jacket, individual cable components that are all instantly identifiable, a smaller OD and color-coded individual cables by application

- New Generation Safe-T-Line® Cables for Circuit Integrity meet Article 760 of the National Electrical Code for Fire-Alarm Circuit Integrity (CI) cable, the National Fire Alarm Code (NFPA 72) requirements for survivability; UL Standard 1424 – Cables for Powerlimited Fire Alarm Circuits, and UL Standard 2196 – Circuit Integrity Two-hour Flame Test
- Advanced cables to support high-definition digital video, such as HDcctv, allowing uncompressed transmission at data rates up to 1.5 Gb/s over distances up to 200 meters

Security, Alarm, Sound Cables

Description	Belden Part Number			
	Unshielded CMP	Unshielded CMR	Shielded CMP	Shielded CMR
22 AWG, 2 Cond Stranded	6500UE	5500UE	6500FE	5500FE
22 AWG, 3 Cond Stranded	6501UE	5501UE	6501FE	5501FE
22 AWG, 4 Cond Stranded	6502UE	5502UE	6502FE	5502FE
22 AWG, 6 Cond Stranded	6504UE	5504UE	6504FE	5504FE
22 AWG, 3 Pair Stranded	6542UE	5542UE	6542FE	5542FE
20 AWG, 3 Cond Stranded	6401UE	5401UE	6401FE	5401FE
20 AWG, 4 Cond Stranded	6402UE	5402UE	6402FE	5402FE
18 AWG, 2 Cond Stranded	6300UE	5300UE	6300FE	5300FE
18 AWG, 3 Cond Stranded	6301UE	5301UE	6301FE	5301FE
18 AWG, 4 Cond Stranded	6302UE	5302UE	6302FE	5302FE
18 AWG, 6 Cond Stranded	6304UE	5304UE	6304FE	5304FE
16 AWG, 2 Cond Stranded	6200UE	5200UE	6200FE	5200FE
16 AWG, 3 Cond Stranded	6201UE	5201UE	6201FE	5201FE
16 AWG, 4 Cond Stranded	6202UE	5202UE	6202FE	5202FE
16 AWG, 4 Cond Stranded/65	—	5202UP	—	—
14 AWG, 2 Cond Stranded	6100UE	5100UE	6100FE	5100FE
14 AWG, 3 Cond Stranded	6101UE	5101UE	6101FE	5101FE

Security, Alarm, Sound Cables – Waterdog Indoor/Outdoor Cables

Description	Belden Part Number			
	Unshielded CM	Shielded CM	Unshielded CMG, FPL	Shielded CMG, FPL
22 AWG, 2 Cond Stranded	—	5500F1	—	—
20 AWG, 2 Cond Stranded	—	5400F1	—	—
18 AWG, 2 Cond Stranded	5300U1	5300F1	5340U1	5340F1
16 AWG, 2 Cond Stranded	—	—	5240U1	5240F1
14 AWG, 2 Cond Stranded	—	—	5140U1	5140F1

CCTV Coax


Description	Belden Part Number			
	Cable	Connectivity		
		DB-Series RCA	DB-Series F-Male	DB-Series BNC
Copper Braid, Non-Plenum — RG-6 18 AWG Solid BC 95% BCB	533945	DB6RCAU	DB6U	DB6BNCU
Copper Braid, Plenum — RG-6 18 AWG Solid BC 95% BCB	633948	DB6RCAPL2	DB6PL2	DB6PLBNC2
Copper Braid, Non-Plenum — RG-6 18 AWG Solid BC 95% BCB, Indoor/Outdoor	5339X5	—	—	—
Copper Braid, Plenum — RG-6 18 AWG Solid BC Quad Shield	6339Q8	DB6RCAPL2	DB6PL2	DB6PLBNC2
Copper Braid, Non-Plenum — RG-59 20 AWG Solid BC 95% BCB CM CCTV PVC	543945	DB59RCAU	DB59U	DB59BNCU
Copper Braid, Non-Plenum — RG-59 20 AWG Solid BC 95% BCB CM CCTV PVC, Indoor/Outdoor	5439X5	—	—	—
Copper Braid, Plenum — RG-59 20 AWG Solid BC 95% BCB	643948	DB59RCAPL2/4	DB6PL2	DB59BNCU

DB-Series F, BNC and RCA connectors work with the CPLCRBC-BR Advanced Radial Crimp tool and PSA59/6 Cable Strip tool.




New Generation Applications for Security, Surveillance and Access Control (continued)


Access Control Cables

	Description	Belden Part Number	
		CMP	CMR
	22 AWG, 6 Cond Stranded	6504UE	5504UE
	22 AWG, 10 Cond Stranded, Shielded	6508FE	5508FE
	22 AWG, 12 Cond Stranded	6509UE	5509UE
	18 AWG, 5 Cond Stranded, Shielded	—	5303FE
	18 AWG, 6 Cond Stranded	6304UE	5304UE
	18 AWG, 8 Cond Stranded, Shielded	6306FE	5306FE
	18 AWG, 8 Cond Stranded	6306UE	5306UE
	18-3-Pair Shield + 16-4 Cond Shield + 18-2 Cond Shield + 18-4 Cond Shield, Banana Peel Jacketless	638AFS	538AFS
	22-3-Pair Shield + 18-4 Cond Shield + 22-2 Cond Shield + 22-4 Cond Shield, Banana Peel Jacketless	658AFS	558AFS
	22-3-Pair Shield + 18-4 Cond Shield + 22-2 Cond Shield + 22-4 Cond Shield, Overall Jacket	658AFJ	558AFJ
	22-6 Cond Shield + 18-4 Cond + 22-2 Cond + 22-4 Cond, Banana Peel Jacketless	658GMS	558GMS
	22-6-Pair Shield + 18-4 Cond Shield + 22-2 Cond Shield, Overall Jacket	658GFS	558GFS


Mass Notification Cables

	Description	Belden Part Number		
		Non Plenum	Plenum	Water-blocked
	22 AWG, 1 Pair, Shielded	5500FE	6500FE	5500F1
	18 AWG, 1 Pair, Shielded	5300FE	6300FE	5300F1
	16 AWG, 1 Pair, Shielded	5200FE	6200FE	5240F1
	14 AWG, 1 Pair, Shielded	5100FE	6100FE	5140F1
	12 AWG, 1 Pair, Shielded	5000FE	6000FE	—
	22 AWG, 1 Pair, Shielded + 22 AWG, 2 Conductor	5502GE	6502GE	5502G1
	18 AWG, 1 Pair, Shielded + 18 AWG, 2 Conductor	5302GE	—	—
	22 AWG, 4 Conductor, Shielded	5502FE	6502FE	—
	18 AWG, 4 Conductor, Shielded	5302FE	6302FE	—
	22 AWG, 2 Pair, Individually Shielded	—	1325A	—
	22 AWG, 3 Pair, Individually Shielded	—	1326A	—

Speaker Cables


	Description	Belden Part Number		
		Non Plenum	Plenum	Water-blocked
	18 AWG, 2 Conductor	5300UE	6300UE	5300U1
	18 AWG, 4 Conductor	5302UE	6302UE	5302U1
	16 AWG, 2 Conductor	5200UE	6200UE	5240U1
	16 AWG, 4 Conductor	5202UE	6202UE	5202U1
	14 AWG, 2 Conductor	5100UE	6100UE	5140U1
	14 AWG, 4 Conductor	5102UE	6102UE	5102U1
	12 AWG, 2 Conductor	5000UE	6000UE	—
	10 AWG, 2 Conductor	5T00UP	6T00UP	—

Fire Alarm Cables











	Description	Belden Part Number			
		Unshielded FPLP	Unshielded FPLR	Shielded FPLP	Shielded FPLR
	18 AWG, 2 Conductor, Unshielded	6320UL	5320UL	6320FL	5320FL
	16 AWG, 2 Conductor, Unshielded	6220UL	5220UL	6220FL	5220FL
	14 AWG, 2 Conductor, Unshielded	6120UL	5120UL	6120FL	5120FL
	12 AWG, 2 Conductor, Unshielded	6020UL	5020UL	6020FL	5020FL

New Generation Applications for Security, Surveillance and Access Control (continued)

Circuit Integrity in Conduit (CIC) Safe-T-Line® Cable

	Description	Belden Part Number	
		CIC	CI
	18 AWG, 2 Conductor, Solid, Unshielded (FPLR-CI or FPLR-CIC)	5320UZ	5320UM
	18 AWG, 2 Conductor, Stranded, Shielded (FPLR-CI or FPLR-CIC)	5300FZ	5300FM
	16 AWG, 2 Conductor, Solid, Unshielded (FPLR-CI or FPLR-CIC)	5220UZ	5220UM
	16 AWG, 2 Conductor, Stranded, Shielded (FPLR-CI or FPLR-CIC)	5200FZ	5200FM
	14 AWG, 2 Conductor, Solid, Unshielded (FPLR-CI or FPLR-CIC)	5120UZ	5120UM
	14 AWG, 2 Conductor, Stranded, Shielded (FPLR-CI or FPLR-CIC)	5100FZ	5100FM

Composite AV

	Description	Belden Part Number			
		Cable	DB-Series RCA	DB-Series F-Male	DB-Series BNC
	24-4-Pair Category 5 Bonded + RG-6 Quad, Siamese	Non-Plenum	7912A	—	—
		Plenum	—	—	—
	24-4-Pair Category 5e Bonded + 16-4 Cond BC Stranded Keypad Cable	Non-Plenum	7950A	—	—
		Plenum	—	—	—
	Mini RG-59 (25 AWG) + 2 Cond 20 AWG, Siamese	Non-Plenum	579945	DB1RCA	DB1BNC
		Plenum	679948	DB1RCA	DB1BNC
	RG-6/U + 2 Cond 18 AWG, Siamese	Non-Plenum	539945	DB6RCAU	DB6U
		Plenum	639948	DB6RCAPL2	DB6PL2
		Indoor/Outdoor	5399X5	DB6RCAU	DB6U
	RG-59 + 2 Cond 18 AWG, Siamese	Non-Plenum	549945	DB59RCAU	DB59U
		Plenum	649948	DB59RCAPL2/4	DB59PL2/4
		Indoor/Outdoor	5499X5	DB59RCAU	DB59U
	24-2-Pair UTP Category 5e + 16-1-Pair Unshielded, Siamese	Non-Plenum	5284US	—	—
		Plenum	6284US	—	—
	23-2-Pair UTP Category 5e + 16-1-Pair Unshielded, Round	Non-Plenum	5284UE	—	—
		Plenum	6284UE	—	—
	2-RG-6 + 2-4-Pair Category 5e + 2 Fiber MM Banana Peel Jacketless	Non-Plenum	7914S	DB6RCAU	DB6U
		Plenum	—	—	—
	2-RG-6 + 2-4-Pair Category 5e Banana Peel Jacketless	Non-Plenum	7913S	—	—
		Plenum	—	—	DB6RCAPL2
	Water Blocked 23-2-Pair Category 5 + 16-1-Pair Unshielded, round	Non-Plenum	YM49032	—	—
		Plenum	—	—	—

DB-Series F, BNC and RCA connectors work with the CPLCRBC-BR Advanced Radial Crimp tool and PSA59/6 Cable Strip tool.



Industrial-Grade Cabling Systems

The perfect companion for rugged environments and for use with GarrettCom switches, we offer a full array of Category 5e and Category 6 Industrial Ethernet cables. Belden DataTuff cables are available in a wide range of styles:







- Bonded-pair and nonbonded-pair in a variety of jacket options
- Extended temperature range
- Sunlight and oil resistant
- Unshielded or shielded constructions
- Single or dual jacketed
- Interlocked armoring
- Stranded or solid conductors
- Full range of connectors, cords, panels, racks & enclosures and cable management, including hardened connectivity per IP-67 and IP-20

Category 5e DataTuff Cables



	Description	No. of Pairs	Jacket Colors/Material	Belden Part Number
	Solid 24AWG Conductors, Unshielded, Bonded-Pairs, CMR	2	Black, Red, Teal PVC, Black PVC	7932A
	Solid 24AWG Conductors, Foil Shield, Bonded-Pairs, CMR	2	Black, Teal PVC, Black PVC	7933A
	Solid 24AWG Conductors, Unshielded, Bonded-Pairs, CMR	4	Black, Red, Teal PVC, Black PVC	7923A
	Solid 24AWG Conductors, Unshielded, CMR	4	Black, Blue PVC, Black PVC	7918A
	Solid 24AWG Conductors, Unshielded, Bonded-Pair, PLTC, CMR	4	Black PVC	7922A
	Solid 24AWG Conductors, Unshielded, Bonded-Pair, Burial with Waterblock Gel	4	Black Polyethylene	7934A
	Solid 24AWG Conductors, Unshielded, All FEP, Oil & Gas Res, Bonded-Pair CMP / CMP50 (FHC25/50)	4	Black FEP	7928A
	Solid 24AWG Conductors, Unshielded, Bonded-Pair, CM	4	Black Haloarrest (LSZH)	7935A
	Solid 24AWG Conductors, Unshielded, Bonded-Pairs, Double Jacket, CMR	4	Black, Gray, Red, Teal, Blue PVC, Black PVC	11700A
	Solid 24AWG Conductors, Unshielded, Bonded-Pairs, Double Jacket, Oil Res I & II on Outer Jacket, CMR	4	Black, Blue PVC, Black PVC	11700A2
	Stranded 24AWG Conductors, Unshielded, Bonded-Pairs, CMR	4	Black, Red, Teal PVC, Black PVC	7924A
	Stranded 24AWG Conductors, Unshielded, CMR	4	Black PVC	7930A
	Solid 24AWG Conductors, Foil Shield, Bonded-Pairs, CMR	4	Black, Blue PVC, Black PVC	7929A
	Solid 24AWG Conductors, Foil Shield, CMR	4	Black, Blue PVC, Black PVC	7919A
	Solid 24AWG Conductors, Foil Shield, Bonded-Pairs	4	Black Haloarrest (LSZH)	7936A
	Solid 24AWG Conductors, Foil Shield, Bonded-Pairs, CMR, AWM UL STYLE 21047 600V	4	Black, Blue, Teal PVC, Black PVC	7958A
	Solid 24AWG Conductors, Foil + Braid Shield, Bonded-Pairs, CMR / CMX Outdoor	4	Black, Red, Teal, Blue PVC, Black PVC	7921A
	Solid 24AWG Conductors, Foil + Braid Shield, Bonded-Pairs, CMR, AWM UL STYLE 21047 600V	4	Black, Teal, Blue PVC, Black PVC.	7957A
	Solid 24AWG Conductors, Foil Shield, Double Jacket, Waterblocked Gel, Burial	4	Black PE	7937A
	Stranded 24AWG Conductors, Foil Shield, Bonded-Pairs, CMR	4	Black, Teal PVC, Black PVC	7939A
	Stranded 24AWG Conductors, Foil + Braid Shield, Bonded-Pairs, 10Million Flex Rated	4	Matte Black TPE	7938A
	Solid 24AWG Conductors, Interlocked Aluminum Armour, Bonded-Pairs, CM	4	Black, Gray PVC, Black PVC	121700A
	Solid 24AWG Conductors, Interlocked Aluminum Armour, Bonded-Pairs, CMR	4	Black, Blue PVC	121700R

Industrial-Grade Cabling Systems (continued)

Category 6 DataTuff Cables

Description	No. of Pairs	Jacket Colors/Material	Belden Part Number
 Solid 23AWG Conductors, Unshielded, Bonded-Pair, CMR/CMX Outdoor	4	Black PVC	7940A
 Solid 23AWG Conductors, Unshielded, Bonded-Pair, 600MHz, CMR	4	Black PVC	7927A
 Solid 23AWG Conductors, Unshielded, Bonded-Pair, CMP/CMP50 (FHC 25/50)	4	Black FEP	7931A
 Solid 23AWG Conductors, Unshielded, Bonded-Pair, CMR, AWM UL Style 21047 600V	4	Black PVC	7953A
 Solid 23AWG Conductors, Unshielded, Double Jacketed, Bonded-Pair, CMR	4	Gray PVC	11872A
 Solid 23AWG Conductors, Double Jacketed and Interlocked Aluminum Armour, Bonded-Pair, CMR	4	Black, Gray PVC	121872A

TrayOptic® Industrial, Heavy-Duty, All Dielectric Cable

Description	No. of Fibers	No. of Fibers Per Bundle	Belden Part Number				
			OM1 62.5 / 125 µm Std. / 1 Gb	OM2 50 / 125 µm Std. / 1 Gb	OM3 50 / 125 µm 10 Gb – 300 m	OM4 50 / 125 µm 10 Gb – 400 m	OS2 Single-mode Enhanced
Riser (NEC/CEC OFNR/OFN FT.4) PVC Jacket Indoor/Outdoor							
	2	2	I100255	I1A0255	I1C0255	I1E0255	I1W0255
	4	4	I100455	I1A0455	I1C0455	I1E0455	I1W0455
	6	6	I100655	I1A0655	I1C0655	I1E0655	I1W0655
	8	4	I400855	I4A0855	I4C0855	I4E0855	I4W0855
	12	6	I601255	I6A1255	I6C1255	I6E1255	I6W1255
	18	6	I601855	I6A1855	I6C1855	I6E1855	I6W1855
	24	6	I602455	I6A2455	I6C2455	I6E2455	I6W2455
	36	6	I603655	I6A3655	I6C3655	I6E3655	I6W3655
	48	12	I604855	I6A4855	I6C4855	I6E4855	I6W4855
	60	12	I606055	I6A6055	I6C6055	I6E6055	I6W6055
72	12	I607255	I6A7255	I6C7255	I6E7255	I6W7255	
Riser (NEC/CEC OFNR/OFN FT.4) CPE Jacket Indoor/Outdoor							
	2	2	I100266	I1A0266	I1C0266	I1E0266	I1W0266
	4	4	I100466	I1A0466	I1C0466	I1E0466	I1W0466
	6	6	I100666	I1A0666	I1C0666	I1E0666	I1W0666
	8	4	I400866	I4A0866	I4C0866	I4E0866	I4W0866
	12	6	I601266	I6A1266	I6C1266	I6E1266	I6W1266
	18	6	I601866	I6A1866	I6C1866	I6E1866	I6W1866
	24	6	I602466	I6A2466	I6C2466	I6E2466	I6W2466
	36	6	I603666	I6A3666	I6C3666	I6E3666	I6W3666
	48	12	I604866	I6A4866	I6C4866	I6E4866	I6W4866
	60	12	I606066	I6A6066	I6C6066	I6E6066	I6W6066
72	12	I607266	I6A7266	I6C7266	I6E7266	I6W7266	




Industrial-Grade Cabling Systems (continued)


Connectivity

	Description	Belden Part Number
--	-------------	--------------------

Modular Jacks (RJ45). Cat 5e. IP67

	UTP, Black, Tethered Cap, Qty. 1	E100501 010S1
	FTP, Black, Tethered Cap, Qty. 1	E100502 010S1


Plug Kits (RJ45). Cat 5e. IP67

	UTP, Black, Tethered Cap, Qty. 1	E300501 010S1
	FTP, Black, Tethered Cap, Qty. 1	E300502 010S1


Modular Jacks (RJ45). Cat 6. IP67

	UTP, Black, Tethered Cap, Qty. 1	E100601 010S1
	FTP, Black, Tethered Cap, Qty. 1	E100602 010S1


Field-Installable Metal Body Ruggedized Plug (RJ45). Cat 6. IP20

	UTP/STP, T568A Plug, Qty. 1	R301601 000S1
	UTP/STP, T568B Plug, Qty. 1	R301602 000S1


Stainless Steel Faceplates. IP67

	Single Gang, 1-port, Qty. 1	E200001 000S1
	Single Gang, 2-port, Qty. 1	E200002 000S1
	Double Gang, 4-port, Qty. 1	E200004 000S1

Surface Mount Boxes. IP67

	1-port, White/Stainless Steel Cover, Qty. 1	E200101 009S1
	2-port, White/Stainless Steel Cover, Qty. 1	E200102 009S1
	3-port, White/Stainless Steel Cover, Qty. 1	E200103 009S1
	4-port, White/Stainless Steel Cover, Qty. 1	E200104 009S1

Tools

	Hand Tool to Crimp RJ45 Plugs. Black with Blue Handle, Qty. 1	E400001 006S1
	Cable Stripper, Gray, Qty. 1	E400003 008S1
	Punch-Down Connecting Tool, Qty. 1	AX100749
	Punch-Down Connecting Tool Pouch, Qty. 1	C0054642

Part Number Index

Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
5T00UP	21	5140U1	21	AX101185	9, 11	AX103621	14	AX104249-S1	13	AX200057	15
6K32	17	5200FE	21	AX101309	8	AX103638	14	AX104250-B25	13	AX200058	15
6KL	17	5200UE	21	AX101310	8	AX103639	14	AX104250-S1	13	AX200082	15
6KQ	17	5202U1	21	AX101320	10	AX103641	14	AX104251-B25	13	AX200084	15
6T00UP	21	5202UE	21	AX101321	10	AX103642	14	AX104251-S1	13	AX200200	15
10GX12 0061000	12	5240	21	AX101555	9, 11	AX103657	14	AX104253-B25	13	AX200234	15
10GX12 0091000	12	5240U1	21	AX101852	9, 11	AX103691	14	AX104253-S1	13	AX200280	15
10GX13 0091000	12	5300F1	21	AX102005	10, 12	AX103692	14	AX104254-B25	13	AX200341	15
10GX13 D151000	12	5300FE	21	AX102006	9, 10, 12	AX103710	14	AX104254-S1	13	AX200413	15
10GX32 0061000	12	5300U1	21	AX102007	9, 10, 12	AX103711	14	AX104255-B25	13	AX200459	15
10GX32 0091000	12	5300UE	21	AX102009	10, 12	AX103713	14	AX104255-S1	13	AX200507	15
10GX33 0091000	12	5302FE	21	AX102010	9, 10, 12	AX103714	14	AX104256-B25	13	AX200508	15
10GX33 D151000	12	5302GE	21	AX102011	9, 10, 12	AX103729	14	AX104256-S1	13	AX200509	15
1212F 0061000	9	5302U1	21	AX102012	9, 10, 12	AX103767	14	AX104257-B25	13	AX200517	15
1212F 0081000	9	5302UE	21	AX102013	9, 10, 12	AX103783	14	AX104257-S1	13	AX200518	15
1212F 0091000	9	5500F1	21	AX102249	9, 10, 12	AX103799	14	AX104258-B25	13	AX200519	15
1213F 0061000	9	5500FE	21	AX102251	9, 10, 12	AX103800	14	AX104258-S1	13	AX200527	15
1304A	8	5502FE	21	AX102257	9, 10, 12	AX103801	14	AX104259-B25	13	AX200528	15
1305A	8	5502GE	21	AX102282	12	AX103819	14	AX104259-S1	13	AX200529	15
1325A	21	6000FE	21	AX102655	9, 10, 12	AX103821	14	AX104260-B25	13	AX200589	15
1326A	21	6000UE	21	AX102657	9, 10, 12	AX103822	14	AX104260-S1	13	AX200603	15
1351A 0061000	11	6100FE	21	AX102660	9, 10, 12	AX103837	14	AX104261-B25	13	AX200624	15
1351A 0081000	11	6100UE	21	AX102671	9, 10, 12	AX104131	9, 10, 12	AX104261-S1	13	AX200664	15
1351A 0091000	11	6102UE	21	AX102775	9, 11	AX104141	12	AX104262-B25	13	AX200665	15
1352A 0061000	11	6200F	21	AX103114	8, 10, 12	AX104142	12	AX104262-S1	13	AX200666	15
1352A 0081000	11	6200UE	21	AX103115	8, 10, 12	AX104153	12	AX104263-B25	13	AX200795	15
1594A	8	6300F	21	AX103121	8, 10, 12	AX104156	12	AX104263-S1	13	AX200799	15
1797B	9, 11	6300UE	21	AX103248	8, 10, 12	AX104157	12	AX104264-B25	13	AX200800	15
1872A 006A1000	10	6302FE	21	AX103249	8, 12	AX104183	8	AX104264-S1	13	AX202089	15
1872A 009A1000	10	6302UE	21	AX103254	12	AX104186	8	AX104265-B25	13	AX202523	15
1872A 010A1000	10	6500FE	21	AX103255	10	AX104187	8	AX104265-S1	13	AX202835	15
1874A 009A1000	10	6502FE	21	AX103256	12	AX104190	10	AX104271	13	AX202902	15
1874A 010A1000	10	6502GE	21	AX103258	8	AX104193	10	AX104467-B25	13	AX203870	15
1874A D15A1000	10	7918A	8	AX103259	8	AX104194	10	AX104467-S1	13	AX203908	15
2412 006A1000	10	7919A	8	AX103382	14	AX104227	10	AX104479	9, 10, 12	AX203910	15
2412 009A1000	10	7934	8	AX103385	14	AX104228	10	AX104480	9, 10, 12	AX203911	15
2412 010A1000	10	70102419	15	AX103386	14	AX104231	9, 10, 12	AX104555	16	AX1034937	14
2413 009A1000	10	70102420	15	AX103406	14	AX104232	9, 10, 12	AX104556	16	B9X005	16
2413 010A1000	10	70102447	15	AX103408	14	AX104233	9, 10, 12	AX104557	16	B9X007	16
2413 D15A1000	10	AS203909	15	AX103409	14	AX104234	9, 10, 12	AX104558	16	B9X010	16
3612 006A1000	10	AX1034	14	AX103424	14	AX104240-B25	13	AX104563	9, 11	B9X012	16
3612 009A1000	10	AX10078	9, 11	AX103441	14	AX104240-S1	13	AX104564	9, 11	B9X013	16
3612 010A1000	10	AX10200	9	AX103442	14	AX104241-B25	13	AX104595	9	B9X015	16
3613 009A1000	10	AX10228	12	AX103447	14	AX104241-S1	13	AX104596	11	B9X018	16
3613 010A1000	10	AX10324	10	AX103449	14	AX104242-B25	13	AX104647	15	B9X020	16
3613 D15A1000	10	AX10325	10	AX103450	14	AX104242-S1	13	AX104648	15	B9X037	16
3632 006A1000	10	AX10340	14	AX103451	14	AX104243-B25	13	AX104649	15	B9X037T	16
3632 009A1000	10	AX10345	14	AX103455	14	AX104243-S1	13	AX104651	16	B9X039	16
3632 010A1000	10	AX10349	14	AX103456	14	AX104244-B25	13	AX104652	16	B9X039T	16
3633 009A1000	10	AX10351	14	AX103461	14	AX104244-S1	13	AX104653	16	B9X042	16
3633 010A1000	10	AX10369	14	AX103463	14	AX104245-B25	13	AX104654	16	B9X042T	16
3633 D15A1000	10	AX10381	14	AX103465	14	AX104245-S1	13	AX104655	16	B9X043	16
5000FE	21	AX10402	12	AX103467	14	AX104246-B25	13	AX104656	16	B9X043T	16
5000UE	21	AX10421	10	AX103470	14	AX104246-S1	13	AX104681	13, 23	B9X045	16
5100FE	21	AX20391	15	AX103471	14	AX104247-B25	13	AX104682	13, 23	B9X045T	16
5100UE	21	AX100749	9, 11	AX103502	14	AX104247-S1	13	AX104683	13	B9X048	16
5102U1	21	AX100784	9, 11	AX103503	14	AX104248-B25	13	AX104684	13	B9X048T	16
5102UE	21	AX101100	13	AX103619	14	AX104248-S1	13	AX104685	13	B9X202	16
5140F1	21	AX101101	13	AX103620	14	AX104249-B25	13	AX200056	15	B9X204	16

One Enterprise.
One Infrastructure.
One Partner.



Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
B9X205	16	C6F1109004	11	CA21109010	12	FA600187	14	FA600246	15	I6C7255	24
B9X230	16	C6F1109007	11	CA21109015	12	FA600188	14	I1A0255	24	I6C7266	24
B9X231	16	C6F1109015	11	CPRJ11-4	9	FA600189	14	I1A0266	24	I6E1255	24
B9X232	16	C6F1109025	11	CPRJ11-45	11	FA600190	14	I1A0455	24	I6E1266	24
B9X240	16	C6F1306015	11	CS14	17	FA600191	15	I1A0466	24	I6E1855	24
B9X241	16	C6F1306025	11	DX940	17	FA600192	15	I1A0655	24	I6E1866	24
B9X242	16	C6F1308015	11	ES42	17	FA600193	15	I1A0666	24	I6E2455	24
B9X500T	16	C6F1308025	11	FA600135	14	FA600194	15	I1C0255	24	I6E2466	24
B9X510T	16	C601106xxxA06	10	FA600136	14	FA600195	15	I1C0266	24	I6E3655	24
B9X511T	16	C602106xxxA06	10	FA600137	14	FA600196	15	I1C0455	24	I6E3666	24
B9X601	16	C501100002	8, 9	FA600138	14	FA600197	15	I1C0466	24	I6E4855	24
B9X601T	16	C501100004	8	FA600139	14	FA600198	15	I1C0655	24	I6E4866	24
B9X611	16	C501100007	8	FA600140	14	FA600199	15	I1C0666	24	I6E6055	24
B9X611T	16	C501100010	8	FA600141	14	FA600200	15	I1E0255	24	I6E6066	24
B9X810	16	C501100015	8	FA600142	14	FA600201	15	I1E0266	24	I6E7255	24
B9X811	16	C501106002	8, 9	FA600143	14	FA600202	15	I1E0455	24	I6E7266	24
B9X812	16	C501106004	8	FA600144	14	FA600203	15	I1E0466	24	I6W1255	24
B96915	16	C501106007	8	FA600145	14	FA600204	15	I1E0655	24	I6W1266	24
B96919	16	C501106010	8	FA600146	14	FA600205	15	I1E0666	24	I6W1855	24
C5F130801	9	C501107004	8	FA600147	14	FA600206	15	I1W0255	24	I6W1866	24
C5F1100002	9	C501107007	8	FA600148	14	FA600207	15	I1W0266	24	I6W2455	24
C5F1100004	9	C501107015	8	FA600149	14	FA600208	15	I1W0455	24	I6W2466	24
C5F1100007	9	C501109002	8	FA600150	14	FA600209	15	I1W0466	24	I6W3655	24
C5F1100015	9	C501109004	8	FA600151	14	FA600210	15	I1W0655	24	I6W3666	24
C5F1100025	9	C501109007	8	FA600152	14	FA600211	15	I1W0666	24	I6W4855	24
C5F1106002	9	C501109010	8	FA600153	14	FA600212	15	I4A0855	24	I6W4866	24
C5F1106004	9	C501109015	8	FA600154	14	FA600213	15	I4A0866	24	I6W6055	24
C5F1106007	9	C601100002	10	FA600155	14	FA600214	15	I4C0855	24	I6W6066	24
C5F1106015	9	C601100004	10	FA600156	14	FA600215	15	I4C0866	24	I6W7255	24
C5F1106025	9	C601100007	10	FA600157	14	FA600216	15	I4E0855	24	I6W7266	24
C5F1108002	9	C601100010	10	FA600158	14	FA600217	15	I4E0866	24	I100255	24
C5F1108004	9	C601100015	10	FA600159	14	FA600218	15	I4W0855	24	I100266	24
C5F1108007	9	C601106002	10	FA600160	14	FA600219	15	I4W0866	24	I100455	24
C5F1108015	9	C601106004	10	FA600161	14	FA600220	15	I6A1255	24	I100466	24
C5F1108025	9	C601106007	10	FA600162	14	FA600221	15	I6A1266	24	I100655	24
C5F1109002	9	C601106010	10	FA600163	14	FA600222	15	I6A1855	24	I100666	24
C5F1109004	9	C601106015	10	FA600164	14	FA600223	15	I6A1866	24	I400855	24
C5F1109007	9	C601107002	10	FA600165	14	FA600224	15	I6A2455	24	I400866	24
C5F1109015	9	C601107010	10	FA600166	14	FA600225	15	I6A2466	24	I601255	24
C5F1109025	9	C601109002	10	FA600167	14	FA600226	15	I6A3655	24	I601266	24
C5F1306015	9	C601109004	10	FA600168	14	FA600227	15	I6A3666	24	I601855	24
C5F1306025	9	C601109007	10	FA600169	14	FA600228	15	I6A4855	24	I601866	24
C5F1308025	9	C601109010	10	FA600170	14	FA600229	15	I6A4866	24	I602455	24
C6F1100002	11	C601109015	10	FA600171	14	FA600230	15	I6A6055	24	I602466	24
C6F1100004	11	CA21100xxxA06	12	FA600172	14	FA600231	15	I6A6066	24	I603655	24
C6F1100007	11	CA22100xxxA0	12	FA600173	14	FA600232	15	I6A7255	24	I603666	24
C6F1100015	11	CA21100002	12	FA600174	14	FA600233	15	I6A7266	24	I604855	24
C6F1100025	11	CA21100004	12	FA600175	14	FA600234	15	I6C1255	24	I604866	24
C6F1106002	11	CA21100007	12	FA600176	14	FA600235	15	I6C1266	24	I606055	24
C6F1106004	11	CA21100010	12	FA600177	14	FA600236	15	I6C1855	24	I606066	24
C6F1106007	11	CA21100015	12	FA600178	14	FA600237	15	I6C1866	24	I607255	24
C6F1106015	11	CA21106002	12	FA600179	14	FA600238	15	I6C2455	24	I607266	24
C6F1106025	11	CA21106004	12	FA600180	14	FA600239	15	I6C2466	24	IPS42	17
C6F1108002	11	CA21106007	12	FA600181	14	FA600240	15	I6C3655	24	PES42	17
C6F1108004	11	CA21106010	12	FA600182	14	FA600241	15	I6C3666	24	S14	17
C6F1108007	11	CA21106015	12	FA600183	14	FA600242	15	I6C4855	24		
C6F1108015	11	CA21109002	12	FA600184	14	FA600243	15	I6C4866	24		
C6F1108025	11	CA21109004	12	FA600185	14	FA600244	15	I6C6055	24		
C6F1109002	11	CA21109007	12	FA600186	14	FA600245	15	I6C6066	24		

GLOBAL LOCATIONS

For worldwide Enterprise Sales
and Technical Support, visit:
www.belden.com



UNITED STATES

Division Headquarters—Americas

2200 U.S. Highway 27 South
Richmond, IN 47374
Phone: 765-983-5200
Inside Sales: 800-235-3361
Fax: 765-983-5294
info@belden.com
web: www.belden.com

CANADA

National Business Center

2280 Alfred-Nobel
Suite 200
Saint-Laurent, QC
Canada H4S 2A4
Phone: 514-822-2345
Fax: 514-822-7979

**LATIN AMERICA and the
CARIBBEAN ISLANDS**

Regional Office

Insurgentes Sur # 800 Piso 9
Col- Del Valle
México, D.F.
Phone: (52) 55-5523-7733
Fax: 55-5523-8077
salesmex@belden.com