

Product Data Sheet: KeyWerks 12-Port Wall-Mount Panel

Applications

- Data Centers
- Telecommunications Room
- Equipment Room: Interconnect or Cross-Connect
- Consolidation Points

Features & Benefits

- Industry standard 89D Bracket included for easy wallmounting
- Compatible with KeyWerks keystone modules or any other keystone product
- Available color: Black
- Easily snaps into 89D bracket
- KeyWerks modules can be independently installed/ uninstalled
- Numbered ports for quick port identification
- Instructions sheet and Tie-Wraps Included



Description

patch panel is designed for space numbered to identify quickly the saving and low-density applications. cable runs. The versatile wall-mount The patch panel is made for supports all KeyWerks copper, fiber exceptional performance with and multimedia modules. powdered-black 16-Gauge cold-rolled The modules are sold separately. steel. It also includes a standard 89D bracket for easy mounting on the wall. The bracket is manufactured from high-quality ABS UL 94V-0. The patch panel snaps into the 89D bracket effortlessly without requiring any tools.

The KeyWerks 12-Port Wall Mount For port identification, each port is

wirewerhs

Phone: 1-888-993-4237, Fax: 1-888-893-4237

Email: sales@wirewerks.com, Web Site: www.wirewerks.com





Product Data Sheet: KeyWerks 12-Port Wall-Mount Panel

Ordering information

Part Number	Description
WW000830	KEYWERKS 12-PORT PATCH PANEL, WALL MOUNT,BLACK, EMPTY

Packaging Includes:


- 1 X 89D Bracket
- 4 X Tie-Wrap 4" Long
- 1 X Instructions Sheet

Technical Specifications


Physical Characteristics

Parameter	Value
Material (Panel)	16-Gauge Cold-Rolled Steel (C.R.S)
Material (89D Bracket)	ABS UL94V-0 Plastic
Storage Temp	Min -40°C (-40°F) Max 125°C (257°F)
Operation Temp	Min -20°C (-4°F) Max 60°C (140°F)
Dimensions (Without 89D Bracket)*	10" X 2.06" X .39"


^{*} See below for dimensions with 89D Bracket.



KEYWERKS 12-PORTS WALL-MOUNT PATCH PANEL FRONT VIEW



KEYWERKS 12-PORTS WALL-MOUNT PATCH PANEL SIDE VIEW



Certification and Compliance

cULus ETL Verified: ANSI/TIA-568-C.2 EIA-310-D TIA-606-A FCC 47 part 68 RoHS Listed Communication Circuit Accessories
Category 6 and Category 5e with the Applicable Electrical Transmission Characteristics
Requirements for Cabinets, Racks, Panels, and Associated Equipment
Administration Standard for Telecommunications Infrastructure
Connection of the Terminal Equipment to the Telephone Network
Directive on Restriction of Hazardous Substances







